

CCMD Journal Publications 1990-2000

1990

Kovacs JA, Masur H. Are corticosteroids beneficial as adjunctive therapy for *Pneumocystis pneumonia* in AIDS? Ann Intern Med 1990;113(1):1-3.

Lundgren JD, Baraniuk JN, Ostrowski NL, Kaliner MA, Shelhamer JH. Gastrin-releasing peptide stimulates glycoconjugate release from feline trachea. Am J Physiol 1990;258(2 Pt 1):L68-74.

Feurestein IM, Archer A, Pluda JM, Francis PS, Falloon J, Masur H, Pass HI, Travis WD. Thin-walled cavities, cysts, and pneumothorax in *Pneumocystis carinii* pneumonia: further observations with histopathologic correlation. Radiology 1990;174(3 Pt 1):697-702.

Lane HC, Zunich KM, Wilson W, Cefali F, Easter M, Kovacs JA, Masur H, Leitman SF, Klein HG, Steis RG and others. Syngeneic bone marrow transplantation and adoptive transfer of peripheral blood lymphocytes combined with zidovudine in human immunodeficiency virus (HIV) infection. Ann Intern Med 1990;113(7):512-9.

Sawyer LA, Metcalf JA, Zoon KC, Boone EJ, Kovacs JA, Lane HC, Quinnan GV, Jr. Effects of interferon-alpha in patients with AIDS-associated Kaposi's sarcoma are related to blood interferon levels and dose. Cytokine 1990;2(4):247-52.

Bloom JN, Suffredini AF, Parrillo JE, Palestine AC. Serum neopterin levels following intravenous endotoxin administration to normal humans. Immunobiology 1990;181(4-5):317-23.

Cowan PW, O'Grady N. Treatment of the severe Class III edentulous patient with implant- retained prostheses. Quintessence Int 1990;21(7):553-7.

Kovacs JA, Allegra CJ, Masur H. Characterization of dihydrofolate reductase of *Pneumocystis carinii* and *Toxoplasma gondii*. Exp Parasitol 1990;71(1):60-8.

Parker MM, McCarthy KE, Ognibene FP, Parrillo JE. Right ventricular dysfunction and dilatation, similar to left- ventricular changes, characterize the cardiac depression of septic shock in humans. Chest 1990;97(1):126-131.

Sattler FR, Allegra CJ, Verdegem TD, Akil B, Tuazon CU, Hughlett C, Ogataarakaki D, Feinberg J, Shelhamer J, Lane HC and others. Trimetrexate-leucovorin dosage evaluation study for treatment of *Pneumocystis-carinii* pneumonia. J Infect Dis 1990;161(1):91-96.

Allegra CJ, Boarman D, Kovacs JA, Morrison P, Beaver J, Chabner BA, Masur H. Interaction of sulfonamide and sulfone compounds with *Toxoplasma gondii* dihydropteroate synthase. *J Clin Invest* 1990;85(2):371-9.

Kovacs JA. Advances in the diagnosis of *Pneumocystis carinii* pneumonia. *AIDS Clin Rev* 1990;129-47.

Baraniuk JN, Castellino S, Lundgren JD, Goff J, Mullol J, Merida M, Shelhamer JH, Kaliner MA. Neuropeptide Y (NPY) in human nasal mucosa. *Am J Respir Cell Mol Biol* 1990;3(2):165-73.

Ognibene FP. Upper and lower airway manifestations of human immunodeficiency virus infection. *Ear Nose Throat J* 1990;69(6):424-31.

Browne MJ, Potter D, Gress J, Cotton D, Hiemenz J, Thaler M, Hathorn J, Brower S, Gill V, Glatstein E, Pass H, Roth J, Wesley R, Shelhamer J, Pizzo PA. Randomized trial of open lung-biopsy versus empiric antimicrobial therapy in cancer-patients with diffuse pulmonary-infiltrates. *J Clin Oncol* 1990;8(2):222-229.

Lundgren JD, Kaliner M, Logun C, Shelhamer JH. Platelet activating factor and tracheobronchial respiratory glycoconjugate release in feline and human explants: involvement of the lipoxygenase pathway. *Agents Actions* 1990;30(3-4):329-37.

Lane HC, Davey V, Kovacs JA, Feinberg J, Metcalf JA, Herpin B, Walker R, Dayton L, Davey RT, Falloon J, Polis MA, Salzman NP, Baseler M, Masur H, Fauci AS. Interferon-alpha in patients with asymptomatic human immunodeficiency virus (HIV) infection-A randomized, placebo controlled trial. *Ann Intern Med* 1990;112:805-811.

O'Grady NP. Incidence of dry mouth complaint in Cork Dental Hospital patient population. *Stoma (Lisb)* 1990;2(17):55-6, 58.

Natanson C, Danner RL, Reilly JM, Doerfler ML, Hoffman WD, Akin GL, Hosseini JM, Banks SM, Elin RJ, MacVittie TJ, Parrillo JE. Antibiotics versus cardiovascular support in a canine model of human septic shock. *Am J Physiol* 1990;259(5 Pt 2):H1440-7.

Natanson C. Studies using a canine model to investigate the cardiovascular abnormality of and potential therapies for septic shock. *Clin Res* 1990;38(2):206-14.

Travis WD, Schmidt K, MacLowry JD, Masur H, Condron KS, Fojo AT. Respiratory cryptosporidiosis in a patient with malignant lymphoma. Report of a case and review of the literature. *Arch Pathol Lab Med* 1990;114(5):519-22.

Mills J, Masur H. AIDS-related infections. *Sci Am* 1990;263(2):50-7.

Brenner M, Schaer GL, Mallory DL, Suffredini AF, Parrillo JE. Detection of renal blood flow abnormalities in septic and critically ill patients using a newly designed indwelling thermodilution renal vein catheter. *Chest* 1990;98(1):170-9.

Lundgren B, Cotton R, Lundgren JD, Edman JC, Kovacs JA. Identification of *Pneumocystis carinii* chromosomes and mapping of five genes. *Infect Immun* 1990;58(6):1705-10.

Baraniuk JN, Lundgren JD, Okayama M, Mullol J, Merida M, Shelhamer JH, Kaliner MA. Vasoactive intestinal peptide in human nasal mucosa. *J Clin Invest* 1990;86(3):825-31.

Lundgren JD, Kaliner MA, Shelhamer JH. Mechanisms by which glucocorticosteroids inhibit secretion of mucus in asthmatic airways. *Am Rev Respir Dis* 1990;141(2 Pt 2):S52-8.

Masur H. Consensus statement on the use of corticosteroids as adjunctive therapy for pneumocystis pneumonia in acquired immune deficiency syndrome. *N Engl J Med* 1990;323:1500-1504.

Cartun RW, Lachman MF, Pederson CA, Cole SR, Kovacs JA. Immunoperoxidase localization of *P carinii* in formalin-fixed, paraffin-embedded tissue utilizing monoclonal antibody 2G2. *J Histotech* 1990;13:17-120.

Davey RT, Jr., Masur H. Recent advances in the diagnosis, treatment, and prevention of *Pneumocystis carinii* pneumonia. *Antimicrob Agents Chemother* 1990;34(4):499-504.

Lundgren JD, Shelhamer JH. Pathogenesis of airway mucus hypersecretion. *J Allergy Clin Immunol* 1990;85(2):399-417.

Travis WD, Pittaluga S, Lipschik GY, Ognibene FP, Suffredini AF, Masur H, Feuerstein I, Kovacs J, Condrun KS, Shelhamer JH. Atypical pathologic manifestations of *Pneumocystis carinii* pneumonia in the acquired immunodeficiency syndrome. *Am J Surg Path* 1990;14:615-625.

Baraniuk JN, Lundgren JD, Mizoguchi H, Peden D, Gawin A, Merida M, Shelhamer JH, Kaliner MA. Bradykinin and respiratory mucous membranes. Analysis of bradykinin binding site distribution and secretory responses *in vitro* and *in vivo*. *Am Rev Respir Dis* 1990;141(3):706-14.

Danner RL, Natanson C, Elin RJ, Hosseini JM, Banks S, MacVittie TJ, Parrillo JE. *Pseudomonas aeruginosa* compared with *Escherichia coli* produces less endotoxemia but more cardiovascular dysfunction and mortality in a canine model of septic shock. *Chest* 1990;98(6):1480-7.

Danner RL, Vandervort AL, Doerfler ME, Stuetz P, Parrillo JE. Antiendotoxin activity of lipid-a analogs - requirements of the chemical structure. *Pharm Res* 1990;7(3):260-263.

Baraniuk JN, Lundgren JD, Goff J, Peden D, Merida M, Shelhamer J, Kaliner M. Gastrin-releasing peptide in human nasal-mucosa. *J Clin Invest* 1990;85(4):998-1005.

1991

Levine S, Shelhamer J. Fiberoptic bronchoscopy in patients with HIV infection 1. Diagnostic sensitivities. *AIDS Reader* 1991;1:51-63.

Levine S, Shelhamer J. Fiberoptic bronchoscopy in patients with HIV infection 2. Complications and guidelines for their prevention. *AIDS Reader* 1991;1:136-140.

Lee TH, Ognibene FP, Schwartz JS. Correlates of external research support among respondents to the 1990 American Federation for Clinical Research Survey. *Clin Res* 1991;39(2):135-144.

Danner RL, Elin RJ, Hosseini JM, Wesley RA, Reilly JM, Parillo JE. Endotoxemia in human septic shock. *Chest* 1991;99(1):169-175.

Falloon J, Kovacs J, Hughes W, O'Neill D, Polis M, Davey r, Rogers M, LaFon S, Feuerstein I, Lancaster D and others. A preliminary evaluation of 566C80 for the treatment of pneumocystis pneumonia in patients with acquired immunodeficiency syndrome. *N Engl J Med* 1991;325:1534-1538.

Rieves D, Shelhamer J, Masur H. Pulmonary host defense mechanisms: special considerations for the critically ill patient. *Critical Care Reports* 1991;2:254-269.

Baltaro RJ, Hoffman GS, Sechler JM, Suffredini AF, Shelhamer JH, Fauci AS, Fleisher TA. Immunoglobulin G antineutrophil cytoplasmic antibodies are produced in the respiratory tract of patients with Wegener's granulomatosis. *Am Rev Respir Dis* 1991;143(2):275-8.

Palestine AG, Polis MA, De Smet MD, Baird BF, Falloon J, Kovacs JA, Davey RT, Zurlo JJ, Zunich KM, Davis M and others. A randomized, controlled trial of foscarnet in the treatment of cytomegalovirus retinitis in patients with AIDS. *Ann Intern Med* 1991;115(9):665-73.

Davey RT, Jr., Davey VJ, Metcalf JA, Zurlo JJ, Kovacs JA, Falloon J, Polis MA, Zunich KM, Masur H, Lane HC. A phase I/II trial of zidovudine, interferon-alpha, and granulocyte- macrophage colony-stimulating factor in the treatment of human immunodeficiency virus type 1 infection. *J Infect Dis* 1991;164(1):43-52.

Eichacker PQ, Hoffman WD, Farese A, Banks SM, Kuo GC, MacVittie TJ, Natanson C. TNF but not IL-1 in dogs causes lethal lung injury and multiple organ dysfunction similar to human sepsis. *J Appl Physiol* 1991;71(5):1979-89.

Johnson CW, Miller DL, Ognibene FP. Acute pulmonary emboli associated with guidewire change of a central venous catheter. *Intensive Care Med* 1991;17(2):115-7.

Wu T, Lundgren JD, Rieves RD, Doerfler ME, Logun C, Shelhamer JH. Platelet-activating factor stimulates eicosanoid production in cultured feline tracheal explants. *Exp Lung Res* 1991;17(6):1079-94.

McKenzie R, Travis WD, Dolan SA, Pittaluga S, Feuerstein IM, Shelhamer J, Yarchoan R, Masur H. The causes of death in patients with human immunodeficiency virus infection: a clinical and pathologic study with emphasis on the role of pulmonary diseases. *Medicine (Baltimore)* 1991;70(5):326-43.

Hoffman WD, Banks SM, Alling DW, Eichenholz PW, Eichacker PQ, Parrillo JE, Natanson C. Factors that determine the hemodynamic response to inhalation anesthetics. *J Appl Physiol* 1991;70(5):2155-63.

Hoffman GS, Sechler JMG, Gallin JI, Shelhamer JH, Suffredini A, Ognibene FP, Baltaro RJ, Fleisher TA, Leavitt RY, Travis WD, Barile MF, Tsokos M, Holman RP, Straus SE, Fauci AS. Bronchoalveolar lavage analysis in Wegener's Granulomatosis - a method to study disease pathogenesis. *Am Rev of Resp Dis* 1991;143(2):401-407.

Herman DC, Suffredini AF, Parrillo JE, Palestine AG. Ocular permeability after systemic administration of endotoxin in humans. *Curr Eye Res* 1991;10(2):121-6.

Martich GD, Danner RL, Ceska M, Suffredini AF. Detection of interleukin 8 and tumor necrosis factor in normal humans after intravenous endotoxin: the effect of antiinflammatory agents. *J Exp Med* 1991;173(4):1021-4.

Godwin CR, Brown DT, Gill VJ, Masur H, Ognibene FP. Sputum induction: a quick and sensitive technique for diagnosing *Pneumocystis carinii* pneumonia in immunosuppressed patients. *Respiratory Care* 1991;36:33-39.

Levine SJ, Masur H, Gill VJ, Feuerstein I, Suffredini AF, Brown D, Lane HC, Yarchoan R, Shelhamer JH, Ognibene FP. Effect of aerosolized pentamidine prophylaxis on the diagnosis of *Pneumocystis carinii* pneumonia by induced sputum examination in patients infected with the human immunodeficiency virus. *Am Rev Respir Dis* 1991;144(4):760-4.

Rieves RD, Lundgren JD, Logun C, Wu T, Shelhamer JH. Effect of protein kinase C activating agents on respiratory glycoconjugate release from feline airways. Am J Physiol 1991;261(6 Pt 1):L415-23.

White MV, Igarashi Y, Lundgren JD, Shelhamer J, Kaliner M. Hydrocortisone inhibits rat basophilic leukemia cell mediator release induced by neutrophil-derived histamine releasing activity as well as by anti-IgE. J Immunol 1991;147(2):667-73.

Levine SJ, Walsh TJ, Martinez A, Eichacker PQ, Lopez-Berestein G, Natanson C. Cardiopulmonary toxicity after liposomal amphotericin B infusion. Ann Intern Med 1991;114(8):664-6.

Lundgren JD, Davey RT, Jr., Lundgren B, Mullol J, Marom Z, Logun C, Baraniuk J, Kaliner MA, Shelhamer JH. Eosinophil cationic protein stimulates and major basic protein inhibits airway mucus secretion. J Allergy Clin Immunol 1991;87(3):689-98.

Lundgren B, Lipschik GY, Kovacs JA. Purification and characterization of a major human *Pneumocystis-carinii* surface-antigen. J Clin Invest 1991;87(1):163-170.

Logun C, Mullol J, Rieves D, Hoffman A, Johnson C, Miller R, Goff J, Kaliner M, Shelhamer J. Use of a monoclonal antibody enzyme-linked immunosorbent assay to measure human respiratory glycoprotein production *in vitro*. Am J Respir Cell Mol Biol 1991;5(1):71-9.

Lipschik GY, Masur H, Kovacs JA. Polyamine metabolism in *Pneumocystis carinii*. J Infect Dis 1991;163(5):1121-7.

Baraniuk JN, Lundgren JD, Okayama M, Goff J, Mullol J, Merida M, Shelhamer JH, Kaliner MA. Substance P and neurokinin A in human nasal mucosa. Am J Respir Cell Mol Biol 1991;4(3):228-36.

Lipschik GY, Masur H. *Pneumocystis carinii* pneumonia (PCP). Prog Clin Parasitol 1991;2:27-71.

1992

Smith PD, Quinn TC, Strober W, Janoff EN, Masur H. NIH conference. Gastrointestinal infections in AIDS . Ann Intern Med 1992;116(1):63-77.

Levine SJ, Kennedy D, Shelhamer JH, Kovacs JA, Feuerstein IM, Gill VJ, Stock F, Solomon D, Boylen CT, Masur H and others. Diagnosis of *Pneumocystis carinii* pneumonia by multiple lobe, site- directed bronchoalveolar lavage with immunofluorescent monoclonal antibody staining in human immunodeficiency virus-infected patients receiving aerosolized pentamidine chemoprophylaxis. Am Rev Respir Dis 1992;146(4):838-43.

Shelhamer JH, Toews GB, Masur H, Suffredini AF, Pizzo PA, Walsh TJ, Henderson DK. NIH conference. Respiratory disease in the immunosuppressed patient. Ann Intern Med 1992;117(5):415-31.

Sarosy G, Kohn E, Stone DA, Rothenberg M, Jacob J, Adamo DO, Ognibene FP, Cunnion RE, Reed E. Phase-I study of taxol and granulocyte colony-stimulating factor in patients with refractory ovarian-cancer. J Clin Oncol 1992;10(7):1165-1170.

Rieves RD, Goff J, Wu T, Larivee P, Logun C, Shelhamer JH. Airway epithelial cell mucin release: immunologic quantitation and response to platelet-activating factor. Am J Respir Cell Mol Biol 1992;6(2):158-67.

Paar D, Masur H. Advances in the management of major opportunistic infection in patients with HIV infection. J Pharm Pract 1992;5:131-142.

Quezado ZMN, Natanson C. Systemic hemodynamic abnormalities and vasopressor therapy in sepsis and septic shock. Am J Kidney Dis 1992;20(3):214-22.

Kovacs JA, Masur H. Prophylaxis for *Pneumocystis carinii* pneumonia in patients infected with human immunodeficiency virus. Clin Infect Dis 1992;14(5):1005-9.

Davey RT, Deyton LR, Metcalf JA, Easter M, Kovacs JA, Vasudevachari M, Psallidopoulos M, Thompson LM, Falloon J, Polis MA and others. Indeterminate western-blot patterns in a cohort of individuals at high-risk for human-immunodeficiency-virus (HIV-1) Exposure. J Clin Immunol 1992;12(3):185-192.

Eichenholz PW, Eichacker PQ, Hoffman WD, Banks SM, Parrillo JE, Danner RL, Natanson C. Tumor necrosis factor challenges in canines: patterns of cardiovascular dysfunction. Am J Physiol 1992;263(3 Pt 2):H668-75.

Pruzanski W, Wilmore DW, Suffredini A, Martich GD, Hoffman AG, Browning JL, Stefanski E, Sternby B, Vadas P. Hyperphospholipasemia A2 in human volunteers challenged with intravenous endotoxin. Inflammation 1992;16(5):561-70.

Orcutt TA, Godwin CR, Pizzo PA, Ognibene FP. Aerosolized pentamidine: a well-tolerated mode of prophylaxis against *Pneumocystis carinii* pneumonia in older children with human immunodeficiency virus infection. Pediatr Infect Dis J 1992;11(4):290-4.

Kovacs JA, Allegra CJ, Kennedy S, Swan JC, Drake J, Parrillo JE, Chabner B, Masur H. Efficacy of atovaquone in treatment of toxoplasmosis in patients with AIDS. The NIAID-Clinical Center Intramural AIDS Program. Lancet 1992;340(8820):637-8.

Eichacker PQ, Farese A, Hoffman WD, Banks SM, Mouginis T, Richmond S, Kuo GC, Macvittie TJ, Natanson C. Leukocyte CD11b/18 antigen-directed monoclonal antibody improves early survival and decreases hypoxemia in dogs challenged with tumor necrosis factor. Am Rev Respir Dis 1992;145(5):1023-9.

Mullol J, Rieves RD, Baraniuk JN, Lundgren JD, Merida M, Hausfeld JH, Shelhamer JH, Kaliner MA. The effects of neuropeptides on mucous glycoprotein secretion from human nasal mucosa *in vitro*. Neuropeptides 1992;21(4):231-8.

Mullol J, Raphael GD, Lundgren JD, Baraniuk JN, Merida M, Shelhamer JH, Kaliner MA. Comparison of human nasal mucosal secretion *in vivo* and *in vitro*. J Allergy Clin Immunol 1992;89(2):584-92.

Mullol J, Baraniuk JN, Logun C, Merida M, Hausfeld J, Shelhamer JH, Kaliner MA. M1 and M3 muscarinic antagonists inhibit human nasal glandular secretion *in vitro*. J Appl Physiol 1992;73(5):2069-73.

Igarashi Y, Lundgren JD, Doerfler ME, Shelhamer JH, Kaliner MA, White MV. Human neutrophil-derived histamine-releasing activity (HRA-N) causes the release of serotonin but not arachidonic acid metabolites from rat basophilic leukemia cells. J Allergy Clin Immunol 1992;89(6):1085-97.

Cobb JP, Natanson C, Hoffman WD, Lodato RF, Banks S, Koev CA, Solomon MA, Elin RJ, Hosseini JM, Danner RL. N omega-amino-L-arginine, an inhibitor of nitric oxide synthase, raises vascular resistance but increases mortality rates in awake canines challenged with endotoxin. J Exp Med 1992;176(4):1175-82.

Baraniuk JN, Lundgren JD, Shelhamer JH, Kaliner MA. Gastrin releasing peptide (GRP) binding sites in human bronchi. Neuropeptides 1992;21(2):81-4.

Hoffman AGD, Lawrence MG, Ognibene FP, Suffredini AF, Lipschik GY, Kovacs JA, Masur H, Shelhamer JH. Reduction of Pulmonary Surfactant in Patients With Human-Immunodeficiency-Virus Infection and *Pneumocystis-carinii* Pneumonia. Chest 1992;102(6):1730-1736.

Masur H. New advances in the management of AIDS associated opportunistic infections. AIDS Res Hum Retroviruses 1992;8(5):728-31.

Masur H. Prevention and treatment of pneumocystis. N Engl J Med 1992;327(26):1853-60.

Masur H. Prophylaxis and therapy for *Pneumocystis* pneumonia--where are we? Infect Agents Dis 1992;1(5):270-8.

Herson J, Ognibene FP, Peura DA, Silen W. The role of an independent data monitoring board in a clinical trial sponsored by a pharmaceutical firm. J Clin Res Pharmacoepidemiology 1992;6:285-292.

Martich GD, Parker MM, Cunnion RE, Suffredini AF. Effects of ibuprofen and pentoxifylline on the cardiovascular response of normal humans to endotoxin. J Appl Physiol 1992;73(3):925-31.

Zunich KM, Lane HC, Davey RT, Falloon J, Polis M, Kovacs JA, Masur H. Phase I/II studies of the toxicity and immunogenicity of recombinant gp160 and p24 vaccines in HIV-infected individuals. AIDS Res Hum Retroviruses 1992;8(8):1335.

Travis WD, Fox CH, Devaney KO, Weiss LM, Oleary TJ, Ognibene FP, Suffredini AF, Rosen MJ, Cohen MB, Shelhamer J. Lymphoid pneumonitis in 50 adult patients infected with the human-immunodeficiency-virus - lymphocytic interstitial pneumonitis versus nonspecific interstitial pneumonitis. Hum Pathol 1992;23(5):529-541.

Wu T, Mullol J, Rieves RD, Logun C, Hausfield J, Kaliner MA, Shelhamer JH. Endothelin-1 stimulates eicosanoid production in cultured human nasal mucosa. Am J Respir Cell Mol Biol 1992;6(2):168-74.

Wiener L, Leyden CG, Pizzo PA, Ognibene FP, Rosenthal C, Schubert W. *Pneumocystis carinii* pneumonia (PCP) and your child: a parent information booklet. Oncol Nurs Forum 1992;19(3):507-9.

Vasudevachari MB, Uffelman KW, Kovacs J, Yeh CK, Lane HC, Salzman N. Envelope specific antibodies in the saliva of individuals vaccinated with recombinant HIV-1 gp160. J Acquir Immune Defic Syndr 1992;5:817-821.

Vandervort AL, Doerfler ME, Stuetz P, Danner RL. Antagonism of lipopolysaccharide-induced priming of human neutrophils by lipid-a analogs. J Immunol 1992;149(1):359-366.

Lundgren B, Lundgren JD, Nielsen T, Mathiesen L, Nielsen JO, Kovacs JA. Antibody responses to a major *Pneumocystis carinii* antigen in human immunodeficiency virus-infected patients with and without *P. carinii* pneumonia. J Infect Dis 1992;165(6):1151-5.

Lundgren B, Kovacs JA, Nelson NN, Stock F, Martinez A, Gill VJ. *Pneumocystis-carinii* and specific fungi have a common epitope, identified by a monoclonal-antibody. J Clin Microbiol 1992;30(2):391-395.

Suffredini AF, Shelhamer JH, Neumann RD, Brenner M, Baltaro RJ, Parrillo JE. Pulmonary and oxygen transport effects of intravenously administered endotoxin in normal humans. Am Rev Respir Dis 1992;145(6):1398-403.

Lipschik GY, Gill VJ, Lundgren JD, Andrawis VA, Nelson NA, Nielsen JO, Ognibene FP, Kovacs JA. Improved diagnosis of *Pneumocystis carinii* infection by polymerase chain reaction on induced sputum and blood. Lancet 1992;340(8813):203-6.

1993

Levine SJ, Larivee P, Logun C, Angus CW, Shelhamer JH. Corticosteroids differentially regulate secretion of IL-6, IL-8, and G-CSF by a human bronchial epithelial cell line. Am J Physiol 1993;265(4 Pt 1):L360-8.

Fisherman JS, McCabe M, Noone M, Ognibene FP, Goldspiel B, Venzon DJ, Cowan KH, O'Shaughnessy JA. Phase I study of Taxol, doxorubicin, plus granulocyte-colony stimulating factor in patients with metastatic breast cancer. J Natl Cancer Inst Monogr 1993(15):189-94.

Sloand E, Laughon B, Armstrong M, Bartlett MS, Blumenfeld W, Cushion M, Kalica A, Kovacs JA, Martin W, Pitt E and others. The challenge of *Pneumocystis-carinii* culture. J Eukaryot Microbiol 1993;40(2):188-195.

Boujoukos AJ, Martich GD, Supinski E, Suffredini AF. Compartmentalization of the acute cytokine response in humans after intravenous endotoxin administration. J Appl Physiol 1993;74(6):3027-33.

Danner RL, Eichacker PQ, Doerfler ME, Hoffman WD, Reilly JM, Wilson J, Macvittie TJ, Stuetz P, Parrillo JE, Natanson C. Therapeutic trial of lipid X in a canine model of septic shock. J Infect Dis 1993;167(2):378-384.

Lipschik GY, Doerfler ME, Kovacs JA, Travis WD, Andrawis VA, Lawrence MG, Dichter JR, Ognibene FP, Shelhamer JH. Leukotriene B₄ and interleukin-8 in human immunodeficiency virus-related pulmonary disease. Chest 1993;104(3):763-9.

Quezado ZMN, Natanson C, Alling DW, Banks SM, Koev CA, Elin RJ, Hosseini JM, Bacher JD, Danner RL, Hoffman WD. A controlled trial of HA-1A in a canine model of gram-negative septic shock. JAMA 1993;269(17):2221-2227.

Quezado ZM, Wilson WH, Cunnion RE, Parker MM, Reda D, Bryant G, Ognibene FP. High-dose ifosfamide is associated with severe, reversible cardiac dysfunction. Ann Intern Med 1993;118(1):31-36.

Kovacs JA, Vasudevachari MB, Easter M, Davey RT, Falloon J, Polis MA, Metcalf JA, Salzman N, Baseler M, Smith GE et al. Induction of humoral and cell-mediated anti-human immunodeficiency virus (HIV) responses in HIV sero-negative volunteers by immunization with recombinant gp160. J Clin Invest 1993;92(2):919-28.

Kovacs JA, Powell F, Voeller D, Allegra CJ. Inhibition of *pneumocystis-carinii* dihydropteroate synthetase by para-acetamidobenzoic acid - possible mechanism of action of isoprinosine in human-immunodeficiency-virus infection. Antimicrob Agents Chemotherapy 1993;37(6):1227-1231.

Kovacs JA, Powell F, Edman JC, Lundgren B, Martinez A, Drew B, Angus CW. Multiple genes encode the major surface glycoprotein of *Pneumocystis carinii*. J Biol Chem 1993;268(8):6034-40.

Polis MA, deSmet MD, Baird BF, Mellow S, Falloon J, Davey RT, Jr., Kovacs JA, Palestine AG, Nussenblatt RB, Masur H, Lane HC. Increased survival of a cohort of patients with acquired immunodeficiency syndrome and cytomegalovirus retinitis who received sodium phosphonoformate (fosfarnet). Am J Med 1993;94(2):175-80.

Okayama M, Mullol J, Baraniuk JN, Hausfeld JN, Feldman B, Merida M, Shelhamer JH, Kaliner MA. Muscarinic receptor subtypes in human nasal mucosa: characterization, autoradiographic localization, and function *in vitro*. Am J Respir Cell Mol Biol 1993;8(2):176-87.

Eichacker PQ, Hoffman WD, Farese A, Danner RL, Suffredini AF, Waisman Y, Banks SM, Mouginis T, Wilson L, Rothlein R and others. Leukocyte CD18 monoclonal antibody worsens endotoxemia and cardiovascular injury in canines with septic shock. J Appl Physiol 1993;74(4):1885-92.

Corriveau CC, Danner RL. Endotoxin As a Therapeutic Target in Septic Shock. Infect Agents and Dis 1993;2(1):35-43.

Ognibene FP, Cunnion RE. Mechanisms of Myocardial Depression in Sepsis. Critical Care Medicine 1993;21(1):6-8.

Natanson C, Hoffman WD, Koev LA, Dolan DP, Banks SM, Bacher J, Danner RL, Klein HG, Parrillo JE. Plasma exchange does not improve survival in a canine model of human septic shock. Transfusion 1993;33(3):243-8.

Mullol J, Chowdhury BA, White MV, Ohkubo K, Rieves RD, Baraniuk J, Hausfeld JN, Shelhamer JH, Kaliner MA. Endothelin in human nasal mucosa. Am J Respir Cell Mol Biol 1993;8(4):393-402.

Igarashi Y, Lundgren JD, Shelhamer JH, Kaliner MA, White MV. Effects of inhibitors of arachidonic acid metabolism on serotonin release from rat basophilic leukemia cells. Immunopharmacology 1993;25(2):131-44.

Medin DL, Ognibene FP. Abnormal chest radiograph after central line placement. Respiratory Care 1993;38:125-127.

Hughes W, Leoung G, Kramer F, Bozzette SA, Safrin S, Frame P, Clumeck N, Masur H, Lancaster D, Chan C, Lavelle J, Rosenstock J, Falloon J, Feinberg J, Lafon S, Rogers M, Sattler F. Comparison of Atovaquone (566c80) With Trimethoprim-Sulfamethoxazole to Treat *Pneumocystis-carinii* Pneumonia in Patients With AIDS. N Engl J Med 1993;328(21):1521-1527.

Masur H, Polis MA, Tuazon CU, Ogata-Arakaki D, Kovacs JA, Katz D, Hilt D, Simmons T, Feuerstein I, Lundgren B and others. Salvage trial of trimetrexate-leucovorin for the treatment of cerebral toxoplasmosis in patients with AIDS. J Infect Dis 1993;167(6):1422-6.

Hollenberg SM, Shelhamer JH, Cunnion RE. Tachyphylaxis to the vasopressor effects of endothelin in rat aortic rings. Am J Physiol 1993;264(2 Pt 2):H352-6.

Dichter JR, Levine SJ, Shelhamer JH. Approach to the immunocompromised host with pulmonary symptoms. Hematol Oncol Clin North Am 1993;7(4):887-912.

Hoffman WD, Natanson C. Endotoxin in septic shock. Anesth Analg 1993;77(3):613-24.

Cobb JP, Cunnion RE, Danner RL. Nitric-Oxide As a Target For Therapy in Septic Shock. Critical Care Medicine 1993;21(9):1261-1263.

Masur H et al. U.S. Public Health Service Guidelines for Antipneumocystis Prophylaxis in Individuals with HIV Infection. JAIDS 1993;6:46-55.

Chen CC, Andrich MP, Shelhamer J. Abnormalities on ventilation/perfusion lung scans induced by bronchoalveolar lavage. J Nucl Med 1993;34(11):1854-8.

DeLa Cadena RA, Suffredini AF, Page JD, Pixley RA, Kaufman N, Parrillo JE, Colman RW. Activation of the kallikrein-kinin system after endotoxin administration to normal human volunteers. Blood 1993;81(12):3313-7.

Martinez A, Kovacs JA. Development and characterization of a rapid screening assay for identifying antipneumocystis agents. *Antimicrob Agents Chemother* 1993;37(8):1674-8.

Martich GD, Boujoukos AJ, Suffredini AF. Response of man to endotoxin. *Immunobiology* 1993;187(3-5):403-16.

Smith PD, Eisner MS, Manischewitz JF, Gill VJ, Masur H, Fox CF. Esophageal disease in AIDS is associated with pathological processes rather than mucosal human-immunodeficiency-virus type-1. *J Infect Dis* 1993;167(3):547-552.

Zurlo JJ, O'Neill D, Polis MA, Manischewitz J, Yarchoan R, Baseler M, Lane HC, Masur H. Lack of clinical utility of cytomegalovirus blood and urine cultures in patients with HIV-infection. *Annals of Internal Medicine* 1993;118(1):12-17.

Wu T, Rieves RD, Larivee P, Logun C, Lawrence MG, Shelhamer JH. Production of eicosanoids in response to endothelin-1 and identification of specific endothelin-1 binding sites in airway epithelial cells. *Am J Respir Cell Mol Biol* 1993;8(3):282-90.

Davey RT, Jr., Dewar RL, Reed GF, Vasudevachari MB, Polis MA, Kovacs JA, Falloon J, Walker RE, Masur H, Haneiwich SE, O'Neill DG, Decker MR, Metcalf JA, Delonia MA, Laskin OL, Salzman N, Lane HC. Plasma viremia as a sensitive indicator of the antiretroviral activity of L-697,661. *Proc Natl Acad Sci U S A* 1993;90(12):5608-12.

Gay PC, Dellinger RP, Shelhamer JH, Offord K. The practice of critical care medicine. A national survey report. ACCP Council on Critical Care. *Chest* 1993;104(1):271-8.

Waismann Y, Eichacker PQ, Banks SM, Hoffman WD, Macvittie TJ, Natanson C. Acute hemorrhage in dogs - construction and validation of models to quantify blood-loss. *J Appl Physiol* 1993;74(2):510-519.

Lundgren B, Kovacs JA, Mathiesen L, Nielsen JO, Lundgren JD. IgM response to a human *Pneumocystis-carinii* surface-antigen in HIV-infected patients with pulmonary symptoms. *Scandinavian J Infect Dis* 1993;25(4):515-520.

Taveira da Silva AM, Kaulbach HC, Chuidian FS, Lambert DR, Suffredini AF, Danner RL. Brief report: shock and multiple-organ dysfunction after self-administration of *Salmonella* endotoxin. *N Engl J Med* 1993;328(20):1457-60.

Sylvester I, Suffredini AF, Boujoukos AJ, Martich GD, Danner RL, Yoshimura T, Leonard EJ. Neutrophil attractant protein-1 and monocyte chemoattractant protein-1 in human serum. Effects of intravenous lipopolysaccharide on free attractants, specific IgG autoantibodies and immune complexes. *J Immunol* 1993;151(6):3292-8.

1994

Suffredini AF. Current prospects for the treatment of clinical sepsis. Crit Care Med 1994;22(7):S12-8.

Francis P, Lee JW, Hoffman A, Peter J, Francesconi A, Bacher J, Shelhamer J, Pizzo PA, Walsh TJ. Efficacy of unilamellar liposomal amphotericin B in treatment of pulmonary aspergillosis in persistently granulocytopenic rabbits: the potential role of bronchoalveolar D-mannitol and serum galactomannan as markers of infection. J Infect Dis 1994;169(2):356-68.

Smith PD, Suffredini AF, Allen JB, Wahl LM, Parrillo JE, Wahl SM. Endotoxin administration to humans primes alveolar macrophages for increased production of inflammatory mediators. J Clin Immunol 1994;14(2):141-8.

Smith PD, Fox CH, Masur H, Winter HS, Alling DW. Quantitative-Analysis of Mononuclear-Cells Expressing Human- Immunodeficiency-Virus Type-1 RNA in Esophageal Mucosa. J Exp Med 1994;180(4):1541-1546.

Larivee P, Levine SJ, Martinez A, Wu T, Logun C, Shelhamer JH. Platelet-activating factor induces airway mucin release via activation of protein kinase C: evidence for translocation of protein kinase C to membranes. Am J Respir Cell Mol Biol 1994;11(2):199-205.

Sattler FR, Frame P, Davis R, Nichols L, Shelton B, Akil B, Baughman R, Hughlett C, Weiss W, Boylen CT, Vanderhorst, C. Black J, Powderly W, Steigbigel RT, Leedom JM, Masur H, Feinberg J, Benoit S, Eyster E, Gocke D, Beck K, Lederman M, Phair J, Reichman R, Sacks HS, Soiero R. Trimetrexate with leucovorin versus trimethoprim-sulfamethoxazole for moderate to severe episodes of *Pneumocystis-carinii* pneumonia in patients with AIDS - a prospective, controlled multicenter investigation of the AIDS-Clinical-Trials-Group Protocol-029/031. J Infect Dis 1994;170(1):165-172.

Falloon J, Lavelle J, Ogataarakaki D, Byrne A, Graziani A, Morgan A, Amantea MA, Ownby K, Polis M, Davey RT, Kovacs JA, Lane HC, Masur H, Macgregor RR. Pharmacokinetics and safety of weekly dapsone and dapsone plus pyrimethamine for prevention of *Pneumocystis* pneumonia. Antimicrob Agents Ch 1994;38(7):1580-1587.

Lane HC, Laughon BE, Falloon J, Kovacs JA, Davey RT, Polis MA, Masur H. Recent advances in the management of AIDS-related opportunistic infections. Ann Intern Med 1994;120(11):945-955.

Wu T, Ikezono T, Angus CW, Shelhamer JH. Characterization of the promoter for the human 85 kDa cytosolic phospholipase A2 gene. Nucleic Acids Res 1994;22(23):5093-8.

Quezado ZMN, Hoffman WD, Winkelstein JA, Yatsiv I, Koev CA, Cork LC, Elin RJ, Eichacker PQ, Natanson C. The third component of complement protects against Escherichia coli endotoxin-induced shock and multiple organ failure. *J Exp Med* 1994;179(2):569-78.

Eickhoff TC, White LJ, Gullen DJ, Addington W, Aledort LM, Fryhofer SA, Jackson EB, Lurie N, Sams BJ, Tooker JP, Winslow, CM, Masur H, et al. Human-immunodeficiency-virus (HIV) infection. *Annals of Internal Medicine* 1994;120(4):310-319.

Powell FC, Spooner KM, Shawker TH, Premkumar A, Thakore KN, Vogel SE, Kovacs JA, Masur H, Feuerstein IM. Symptomatic interleukin-2-induced cholecystopathy in patients with HIV infection. *Am J Roentgenol* 1994;163(1):117-21.

Kovacs JA, Kovacs AA. PCP prophylaxis in pediatric HIV infection: time for a change? *Lancet* 1994;344(8914):5-6.

Eichacker PQ, Waisman Y, Natanson C, Farese A, Hoffman WD, Banks SM, MacVittie TJ. Cardiopulmonary effects of granulocyte colony-stimulating factor in a canine model of bacterial sepsis. *J Appl Physiol* 1994;77(5):2366-73.

Solomon MA, Correa R, Alexander HR, Koev LA, Cobb JP, Kim DK, Roberts WC, Quezado ZMN, Scholz TD, Cunnion RE, Hoffman WD, Bacher J, Yatsiv I, Danner RL, Banks SM, Ferrans VJ, Balaban RS, Natanson C. Myocardial energy-metabolism and morphology in a canine model of sepsis. *Am J Physiol* 1994;266(2):H757-H768.

Parker MM, Ognibene FP, Rogers P, Shelhamer JH, Masur H, Parrillo JE. Severe *Pneumocystis-carinii* pneumonia produces a hyperdynamic profile similar to bacterial pneumonia with sepsis. *Critical Care Medicine* 1994;22(1):50-54.

Parker MM, Ognibene FP, Parrillo JE. Peak systolic pressure/end-systolic volume ratio, a load-independent measure of ventricular function, is reversibly decreased in human septic shock. *Crit Care Med* 1994;22(12):1955-9.

Kohn EC, Sarosy G, Bicher A, Link C, Christian M, Steinberg SM, Rothenberg M, Adamo DO, Davis P, Ognibene FP, Cunnion RE, Reed E. Dose-Intense Taxol - High response rate in patients with platinum-resistant recurrent ovarian-cancer. *J Natl Cancer Inst* 1994;86(1):18-24.

Natanson C, Hoffman WD, Suffredini AF, Eichacker PQ, Danner RL. Selected treatment strategies for septic shock based on proposed mechanisms of pathogenesis. *Ann Intern Med* 1994;120(9):771-83.

Morrison DC, Danner RL, Dinarello CA, Mumford RS, Natanson C, Pollack M, Spitzer JJ, Ulevitch RJ, Vogel SN, McSwegan E. Bacterial endotoxins and pathogenesis of gram negative infections: current status and future direction. *J Endotoxin Res* 1994;1:71-83.

Hollenberg SM, Tong W, Shelhamer JH, Lawrence M, Cunnion RE. Eicosanoid production by human aortic endothelial cells in response to endothelin. *Am J Physiol* 1994;267(6 Pt 2):H2290-6.

Hoffman WD, Pollack M, Banks SM, Koev LA, Solomon MA, Danner RL, Koles N, Guelde G, Yatsiv I, Mouginis T, Elin RJ, Hosseini JM, Bocher J, Porter JC, Natanson C. Distinct functional activities in canine septic shock of monoclonal-antibodies specific for the O-polysaccharide and core regions of Escherichia-colⁱ lipopolysaccharide. *J Infect Dis* 1994;169(3):553-561.

Dewar RL, Highbarger HC, Sarmiento MD, Todd JA, Vasudevachari MB, Davey RT, Jr., Kovacs JA, Salzman NP, Lane HC, Urdea MS. Application of branched DNA signal amplification to monitor human immunodeficiency virus type 1 burden in human plasma. *J Infect Dis* 1994;170(5):1172-9.

Gordin F, Masur H. Prophylaxis of *Mycobacterium-avium* complex bacteremia in Patients With AIDS. *Clin Infect Dis* 1994;18:S223-S226.

Decker CF, Masur H. Current status of prophylaxis for opportunistic infections in HIV-infected patients. *AIDS* 1994;8(1):11-20.

Gleaton LD, Ognibene FP. Airway compromise in two patients with aplastic anemia and coagulation abnormalities. *Respir Care* 1994;39:1051-1056.

Lundgren JD, Rieves RD, Mullol J, Logun C, Shelhamer JH. The effect of neutrophil proteinase enzymes on the release of mucus from feline and human airway cultures. *Respir Med* 1994;88(7):511-8.

Voeller D, Kovacs J, Andrawis V, Chu E, Masur H, Allegra C. Interaction of *Pneumocystis carinii* dihydropteroate synthase with sulfonamides and dianinodphenyl sulfone (dapsone). *J Infect Dis* 1994;169:456-459.

Van Dervort AL, Yan L, Madara PJ, Cobb JP, Wesley RA, Corriveau CC, Tropea MM, Danner RL. Nitric oxide regulates endotoxin-induced TNF-alpha production by human neutrophils. *J Immunol* 1994;152(8):4102-9.

Davey RT, Boenning CM, Herpin BR, Batts DH, Metcalf JA, Wathen L, Cox SR, Polis MA, Kovacs JA, Falloon J and others. Use of recombinant soluble CD4 pseudomonas exotoxin, a novel immunotoxin, for treatment of persons infected with human-immunodeficiency-virus. *J Infect Dis* 1994;170(5):1180-1188.

Yan L, Vandivier RW, Suffredini AF, Danner RL. Human polymorphonuclear leukocytes lack detectable nitric oxide synthase activity. *J Immunol* 1994;153(4):1825-34.

Abati A, Landucci D, Danner RL, Solomon D. Diagnosis of pulmonary microvascular metastases by cytologic evaluation of pulmonary artery catheter-derived blood specimens. *Hum Pathol* 1994;25(3):257-62.

Natanson C, Hoffman WD, Suffredini AF, Eichacker PQ, Danner RL. Selected treatment strategies for septic shock based on proposed mechanisms of pathogenesis. *Ann Intern Med* 1994; 120: 771-783.

1995

Spooner KM, Lane HC, Masur H. Antiretroviral Therapy - Reference Guide to Major Clinical- Trials in Patients Infected With Human-Immunodeficiency-Virus. *Clin Infect Dis* 1995;20(5):1145-1151.

Levine SJ, Larivee P, Logun C, Angus CW, Ognibene FP, Shelhamer JH. Tumor necrosis factor-alpha induces mucin hypersecretion and MUC-2 gene expression by human airway epithelial cells. *Am J Respir Cell Mol Biol* 1995;12(2):196-204.

Shelhamer J, Levine S, Wu T, Jacoby D, Kaliner M, Rennard S. Airway Inflammation. *Ann Intern Med* 1995;123:288-304.

Richards FO, Jr., Kovacs JA, Luft BJ. Preventing toxoplasmic encephalitis in persons infected with human immunodeficiency virus. *Clin Infect Dis* 1995;21 Suppl 1:S49-56.

Quezado ZMN, Natanson C, Banks SM, Alling DW, Koev CA, Danner RL, Elin RJ, Hosseini JM, Parker TS, Levine DM and others. Therapeutic trial of reconstituted human high-density lipoprotein in a canine model of gram-negative septic shock. *J Pharmacol Exp Ther* 1995;272(2):604-11.

Quezado ZM, Banks SM, Natanson C. New strategies for combating sepsis: the magic bullets missed the mark ... but the search continues. *Trends Biotechnol* 1995;13(2):56-63.

Polis MA, Spooner KM, Baird BF, Manischewitz JF, Jaffe HS, Fisher PE, Falloon J, Davey RT, Kovacs JA, Walker RE and others. Anticytomegaloviral activity and safety of cidofovir in patients with human-immunodeficiency-virus infection and cytomegalovirus viruria. *Antimicrob Agents Chemother* 1995;39(4):882-886.

Phair JP, Masur H, Gross PA, Holmes KK, Kaplan JE. Quality standard for the prophylaxis of *Pneumocystis carinii* pneumonia in adults and adolescents infected with human immunodeficiency virus. *Clin Infect Dis* 1995;21 Suppl 1:S128-9.

Phair JP, Gross PA, Kaplan JE, Masur H, Holmes KK, Wilfert CM, Martone WJ, Castro KG. Quality standard for the identification and treatment of persons coinfecte with human immunodeficiency virus and *Mycobacterium tuberculosis*. Clin Infect Dis 1995;21 Suppl 1:S130-1.

Phair JP, Gross PA, Kaplan JE, Masur H, Holmes KK, Wilfert CM. Quality standards for preventing opportunistic infections related to human immunodeficiency virus and their implementation. Clin Infect Dis 1995;21 Suppl 1:S125.

Kovacs JA, Baseler M, Dewar RJ, Vogel S, Davey RT, Falloon J, Polis MA, Walker RE, Stevens R, Salzman NP, Metcalf JA, Masur H, Lane HC. Increases in CD4 T-lymphocytes with intermittent courses of interleukin-2 in patients with human-immunodeficiency-virus infection - a preliminary study. N Engl J Med 1995;332(9):567-575.

Berg SL, Tolcher A, O'Shaughnessy JA, Denicoff AM, Noone M, Ognibene FP, Cowan KH, Balis FM. Effect of R-verapamil on the pharmacokinetics of paclitaxel in women with breast cancer. J Clin Oncol 1995;13(8):2039-42.

Eichacker PQ, Natanson C. Neutrophil directed therapies in sepsis: studies in a canine model. Progress in Surgery 1995;20:67-76.

Ognibene FP, Shelhamer JH, Hoffman GS, Kerr GS, Reda D, Fauci AS, Leavitt RY. *Pneumocystis carinii* pneumonia: a major complication of immunosuppressive therapy in patients with Wegener's granulomatosis. Am J Respir Crit Care Med 1995;151(3 Pt 1):795-9.

Karzai W, Reilly JM, Hoffman WD, Cunnion RE, Danner RL, Banks SM, Parrillo JE, Natanson C. Hemodynamic effects of dopamine, norepinephrine, and fluids in a dog model of sepsis. Am J Physiol 1995;268(2 Pt 2):H692-702.

Ognibene FP. Nonspecific and Lymphocytic Interstitial Pneumonitis in HIV- Infected Individuals. Sem Resp Crit Care M 1995;16(3):227-230.

Kaplan JE, Masur H, Jaffe HW, Holmes KK. Reducing the impact of opportunistic infections in patients with HIV-infection - New Guidelines. JAMA 1995;274(4):347-348.

Kaplan JE, Masur H, Holmes KK, Lanier D, Schram N, Cooper E, Freedberg KA, Mayer K, Blinkhorn R, Ellner J, et al. USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human-immunodeficiency- virus - disease-specific recommendations. Clin Infect Dis 1995;21:S32-S43.

Kaplan JE, Masur H, Holmes KK, Group UIP/OIW. USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus: a summary. MMWR 1995;44:1-34.

Benfield TL, van Steenwijk R, Nielsen TL, Dichter JR, Lipschik GY, Jensen BN, Junge J, Shelhamer JH, Lundgren JD. Interleukin-8 and eicosanoid production in the lung during moderate to severe *Pneumocystis carinii* pneumonia in AIDS: a role of interleukin-8 in the pathogenesis of *P. carinii* pneumonia. Respir Med 1995;89(4):285-90.

Cobb JP, Natanson C, Quezado ZM, Hoffman WD, Koev CA, Banks S, Correa R, Levi R, Elin RJ, Hosseini JM and others. Differential hemodynamic effects of L-NMMA in endotoxemic and normal dogs. Am J Physiol 1995;268(4 Pt 2):H1634-42.

Hughes WT, Lafon SW, Scott JD, Masur H. Adverse events associated With Trimethoprim-Sulfamethoxazole and Atovaquone during the treatment of AIDS-related *Pneumocystis-carinii* Pneumonia. J Infect Dis 1995;171(5):1295-1301.

Medin DL, Ognibene FP. Pulmonary Disease in AIDS: implications for respiratory care practitioners. Respiratory Care 1995;40:832-854.

Gross PA, Phair JP, Kaplan JE, Holmes KK, Masur H. Quality standard for the enumeration of CD4(+) lymphocytes in adults and adolescents infected with human-immunodeficiency-virus. Clin Infect Dis 1995;21:S126-S127.

Gross PA, Kaplan JE, Phair JP, Masur H, Wilfert CM, Holmes KK. Indicators for assessment of compliance with quality standards for the prevention of opportunistic infections in persons infected with human-immunodeficiency-virus. Clin Infect Dis 1995;21:S138-S141.

Wilfert CM, Kaplan JE, Gross PA, Masur H, Holmes KK, Phair JP. Quality standard for the immunization of infants and children born to women infected with human-immunodeficiency-virus. Clin Infect Dis 1995;21:S136-S137.

Wilfert CM, Gross PA, Kaplan JE, Holmes KK, Masur H, Phair JP, Simonds RJ. Quality standard for the enumeration of CD4(+) lymphocytes in infants and children exposed to or infected with human-immunodeficiency-Virus. Clin Infect Dis 1995;21:S134-S135.

Catania A, Suffredini AF, Lipton JM. Endotoxin causes release of alpha-melanocyte-stimulating hormone in normal human subjects. Neuroimmunomodulation 1995;2(5):258-62.

Wyshock EG, Suffredini AF, Parrillo JE, Colman RW. Cofactors V and VIII after endotoxin administration to human volunteers. Thromb Res 1995;80(5):377-89.

Wu T, Rieves RD, Logun C, Shelhamer JH. Platelet-activating factor stimulates eicosanoid production in cultured feline tracheal epithelial cells. *Lung* 1995;173(2):89-103.

Gazzinelli RT, Bala S, Stevens R, Baseler M, Wahl L, Kovacs J, Sher A. HIV infection suppresses type 1 lymphokine and IL-12 responses to *Toxoplasma gondii* but fails to inhibit the synthesis of other parasite-induced monokines. *J Immunol* 1995;155:1565-1574.

Wilfert CM, Masur H, Gross PA, Kaplan JE, Holmes KK, Phair JP, Simonds RJ. Quality standard for the prophylaxis of *Pneumocystis carinii* pneumonia in infants and children born to women infected with human immunodeficiency virus. *Clin Infect Dis* 1995;21 Suppl 1:S132-3.

Freeman BD, Yatsiv I, Natanson C, Solomon MA, Quezado ZM, Danner RL, Banks SM, Hoffman WD. Continuous arteriovenous hemofiltration does not improve survival in a canine model of septic shock. *J Am Coll Surg* 1995;180(3):286-92.

Suffredini AF, Reda D, Banks SM, Tropea M, Agosti JM, Miller R. Effects of recombinant dimeric TNF receptor on human inflammatory responses following intravenous endotoxin administration. *J Immunol* 1995;155(10):5038-45.

Freeman BD, Natanson C. Clinical trials of sepsis: 1994-1995. *Current Opinion in Critical Care* 1995;1:349-359.

Masur H. Centers for Disease Control. USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus: a summary. *MMWR* 44 (no. RR-8): 1-34, 1995.

Kaplan JE, Masur H, Holmes KK, et al. USPHS/IDSQA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus: disease-specific recommendations. *Clin Infect Dis* 1995; 21: S32-43.

Eichacker PQ, Natanson C. Neutrophil directed therapies in sepsis: studies in a canine model. *Progress in Surgery* 1995; 20:67-76.

1996

Spooner KM, Lane HC, Masur H. Guide to major clinical trials of antiretroviral therapy administered to patients infected with human immunodeficiency virus. *Clin Infect Dis* 1996;23(1):15-27.

Levine SJ, Logun C, Chopra DP, Rhim JS, Shelhamer JH. Protein kinase C, interleukin-1 beta, and corticosteroids regulate shedding of the type I, 55 kDa TNF receptor from human airway epithelial cells. *Am J Respir Cell Mol Biol* 1996;14(3):254-61.

Levine SJ, Benfield T, Shelhamer JH. Corticosteroids induce intracellular interleukin-1 receptor antagonist type I expression by a human airway epithelial cell line. *Am J Respir Cell Mol Biol* 1996;15(2):245-51.

Fisherman JS, Cowan KH, Noone M, Denicoff A, Berg S, Poplack D, Balis F, Venzon D, McCabe M, Goldspiel B, Chow C, Ognibene FP, O'Shaughnessy J. Phase I/II study of 72-hour infusional paclitaxel and doxorubicin with granulocyte colony-stimulating factor in patients with metastatic breast cancer. *J Clin Oncol* 1996;14(3):774-82.

Schaeffer MH, Krantz DS, Wichman A, Masur H, Reed E, Vinicky JK. The impact of disease severity on the informed consent process in clinical research. *Am J Med* 1996;100(3):261-268.

Kovacs JA, Vogel S, Albert JM, Falloon J, Davey RT, Jr., Walker RE, Polis MA, Spooner K, Metcalf JA, Baseler M, Fyfe G, Lane HC. Controlled trial of interleukin-2 infusions in patients infected with the human immunodeficiency virus. *N Engl J Med* 1996;335(18):1350-6.

Preas HL, Reda D, Tropea M, Vandivier RW, Banks SM, Agosti JM, Suffredini AF. Effects of recombinant soluble type I interleukin-1 receptor on human inflammatory responses to endotoxin. *Blood* 1996;88(7):2465-72.

Piscitelli SC, Flexner C, Minor JR, Polis MA, Masur H. Drug interactions in patients infected with human immunodeficiency virus. *Clin Infect Dis* 1996;23(4):685-93.

Piscitelli SC, Amantea MA, Vogel S, Bechtel C, Metcalf JA, Kovacs JA. Effects of cytokines on antiviral pharmacokinetics: An alternative approach to assessment of drug interactions using bioequivalence guidelines. *Antimicrob Agents Chemother* 1996;40(1):161-165.

Kovacs JA, Bechtel C, Davey RT, Falloon J, Polis MA, Walker RE, Metcalf JA, Davey V, Piscitelli SC, Baseler M and others. Combination therapy with didanosine and interferon-alpha in human immunodeficiency virus-infected patients: Results of a phase I/II trial. *J Infect Dis* 1996;173(4):840-848.

Bergen GA, Shelhamer JH. Pulmonary infiltrates in the cancer patient. New approaches to an old problem. *Infect Dis Clin North Am* 1996;10(2):297-325.

Kohn EC, Sarosy GA, Davis P, Christian M, Link CE, Ognibene FP, Sindelar WF, Jacob J, Steinberg SM, Premkumar A and others. A phase I/II study of dose-intense paclitaxel with cisplatin and cyclophosphamide as initial therapy of poor-prognosis advanced-stage epithelial ovarian cancer. *Gynecol Oncol* 1996;62(2):181-191.

Eichacker PQ, Hoffman WD, Danner RL, Banks SM, Richmond S, Fitz Y, Natanson C. Serial measures of total body oxygen consumption in an awake canine model of septic shock. *Am J Respir Crit Care Med* 1996;154(1):68-75.

Ognibene FP. Hemodynamic support during sepsis. *Clinics in Chest Medicine* 1996;17(2):279.

O'Grady NP, Sears CL. Therapeutic dilemmas in the care of a human immunodeficiency virus- infected patient with vasculitis: case report. *Clin Infect Dis* 1996;23(3):659-61.

Kaplan JE, Masur H, Holmes KK, Group UIP/OIW. USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus: a summary. *Ann Intern Med* 1996;124:348-368.

Angus CW, Tu A, Vogel P, Qin M, Kovacs JA. Expression of variants of the major surface glycoprotein of *Pneumocystis carinii*. *J Exp Med* 1996;183(3):1229-1234.

Kaplan JE, Hu DJ, Holmes KK, Jaffe HW, Masur H, DeCock KM. Preventing opportunistic infections in human immunodeficiency virus-infected persons: Implications for the developing world. *Am J Trop Med Hyg* 1996;55(1):1-11.

Edman JC, Hatton TW, Nam M, Turner R, Mei Q, Angus CW, Kovacs JA. A single expression site with a conserved leader sequence regulates variation of expression of the *Pneumocystis carinii* family of major surface glycoprotein genes. *DNA and Cell Biology* 1996;15(11):989-999.

Mullol J, Baraniuk JN, Logun C, Benfield T, Picado C, Shelhamer JH. Endothelin-1 induces GM-CSF, IL-6 and IL-8 but not G-CSF release from a human bronchial epithelial cell line (BEAS-2B). *Neuropeptides* 1996;30(6):551-6.

Hoffman WD, Danner RL, Quezado ZM, Banks SM, Elin RJ, Hosseini JM, Natanson C. Role of endotoxemia in cardiovascular dysfunction and lethality: virulent and nonvirulent *Escherichia coli* challenges in a canine model of septic shock. *Infect Immun* 1996;64(2):406-12.

Martinez A, Allegra CJ, Kovacs JA. Efficacy of epiroprim (Ro11-8958), a new dihydrofolate reductase inhibitor, in the treatment of acute Toxoplasma infection in mice. *Am J Trop Med Hyg* 1996;54(3):249-252.

DeLa Cadena RA, Majluf-Cruz A, Stadnicki A, Agosti JM, Colman RW, Suffredini AF. Activation of the contact and fibrinolytic systems after intravenous administration of endotoxin to normal human volunteers: correlation with the cytokine profile. Immunopharmacology 1996;33(1-3):231-7.

Godin PJ, Fleisher LA, Eidsath A, Vandivier RW, Preas HL, Banks SM, Buchman TG, Suffredini AF. Experimental human endotoxemia increases cardiac regularity: results from a prospective, randomized, crossover trial. Crit Care Med 1996;24(7):1117-24.

Wu T, Ikezono T, Angus CW, Shelhamer JH. Tumor necrosis factor-alpha induces the 85-kDa cytosolic phospholipase A2 gene expression in human bronchial epithelial cells. Biochim Biophys Acta 1996;1310(2):175-84.

Walker RE, Spooner KM, Kelly G, McCloskey V, Woody JN, Falloon J, Baseler M, Piscitelli SC, Davey RT, Polis MA, Kovacs JA, Masur H, Lane HC. Inhibition of immunoreactive tumor necrosis factor-alpha by a chimeric antibody in patients infected with human immunodeficiency virus type 1. J Infect Dis 1996;174(1):63-68.

Davey RT, Chaitt DG, Reed GF, Freimuth WW, Herpin BR, Metcalf JA, Eastman PS, Falloon J, Kovacs JA, Polis MA, Walker RE, Masur H. Randomized, controlled phase I/II trial of combination therapy with delavirdine (U-90152S) and conventional nucleosides in human immunodeficiency virus type 1-infected patients. Antimicrob Agents Ch 1996;40(7):1657-1664.

Tolcher AW, Cowan KH, Solomon D, Ognibene F, Goldspiel B, Chang R, Noone MH, Denicoff AM, Kohler DR, Goldspiel BR, McCabe M, Zujewski J, O'Shughnessy JA, Barnes CS, Gossard MR, et al. Phase I crossover study of paclitaxel with r-verapamil in patients with metastatic breast cancer. J Clin Oncol 1996;14(4):1173-84.

Summers RM, Feng DH, Holland SM, Sneller MC, Shelhamer JH. Virtual bronchoscopy: segmentation method for real-time display. Radiology 1996;200(3):857-62.

Freeman BD, Correa R, Karzai W, Natanson C, Patterson M, Banks S, Fitz Y, Danner RL, Wilson L, Eichacker PQ. Controlled trials of rG-CSF and CD11b-directed MAb during hyperoxia and E-coli pneumonia in rats. J Appl Physiol 1996;80(6):2066-2076.

Miller KD, Mican JM, Davey RT. Asymptomatic solitary pulmonary nodules due to *Cryptococcus neoformans* in HIV-disease. Clin Infect Dis 1996; 23: 810-12.

Miller KD, Walker RE. A practical approach for diagnosing AIDS-associated pulmonary disease. AIDS Reader 1996; 6: 58-65.

Schaeffer MH, Krantz DS, Wichman A, Masur H, Reed E. The impact of disease severity on the informed consent process in clinical research. Am J Med 1996; 100: 261-268.

1997

Levine SJ, Wu T, Shelhamer JH. Extracellular release of the type I intracellular IL-1 receptor antagonist from human airway epithelial cells: differential effects of IL-4, IL-13, IFN-gamma, and corticosteroids. J Immunol 1997;158(12):5949-57.

Wang S, Yan L, Wesley RA, Danner RL. Nitric oxide increases tumor necrosis factor production in differentiated U937 cells by decreasing cAMP. J Biol Chem 1997; 272(9): 5959-5965.

Sevransky JE, Shaked G, Novogrodsky A, Levitzki A, Gazit A, Hoffman A, Elin RJ, Quezado ZM, Freeman BD, Eichacker PQ Danner RL, Banks SM, Bacher J, Thomas ML, Natanson C. Tyrphostin AG 556 improves survival and reduces multiorgan failure in canine Escherichia coli peritonitis. J Clin Invest 1997;99(8):1966-73.

Polis MA, Piscitelli SC, Vogel S, Witebsky FG, Conville PS, Petty B, Kovacs JA, Davey RT, Walker RE, Falloon J, Metcalf JA, Craft C, Lane HC, Masur H. Clarithromycin lowers plasma zidovudine levels in persons with human immunodeficiency virus infection. Antimicrob Agents Ch 1997;41(8):1709-1714.

Cowan MJ, Shelhamer JH, Levine SJ. Acute respiratory failure in the HIV-seropositive patient. Crit Care Clin 1997;13(3):523-52.

Cowan MJ, Shelhamer JH. The challenge of severe community-acquired pneumonia. Contemp Int Med 1997;9(11):46-55.

Ognibene FP. Pathogenesis and innovative treatment of septic shock. Adv Intern Med 1997;42:313-38.

Kaplan JE, Masur H, Jaffe HW, Holmes KK. Preventing opportunistic infections in persons infected with HIV: 1997 guidelines. JAMA 1997;278(4):337-338.

Connors M, Kovacs JA, Krevat S, Gea-Banacloche JC, Sneller MC, Flanigan M, Metcalf JA, Walker RE, Falloon J, Baseler M, Walker RE, Falloon J, Baseler M, Stevens R, Feuerstein I, Masur H, Lane HC. HIV infection induces changes in CD4+ T-cell phenotype and depletions within the CD4+ T-cell repertoire that are not immediately restored by antiviral or immune-based therapies. Nat Med 1997;3(5):533-40.

Benfield TL, Lundgren B, Levine SJ, Kronborg G, Shelhamer JH, Lundgren JD. The major surface glycoprotein of *Pneumocystis carinii* induces release and gene expression of interleukin-8 and tumor necrosis factor alpha in monocytes. *Infect Immun* 1997;65(11):4790-4.

Ikezono T, Wu T, Yao XL, Levine S, Logun C, Angus CW, Shelhamer JH. Leukemia inhibitory factor induces the 85-kDa cytosolic phospholipase A2 gene expression in cultured human bronchial epithelial cells. *Biochim Biophys Acta* 1997;1355(2):121-30.

Mullol J, Baraniuk JN, Pitale M, Benfield T, Logun C, Picado C, Shelhamer JH. Vasoactive intestinal peptide (VIP) induces IL-6 and IL-8, but not G-CSF and GM-CSF release from a human bronchial epithelial cell line. *Neuropeptides* 1997;31(2):119-24.

Masur H, Kaplan JE, Holmes KK, Baker AC, Barr D, Benson C, Brosgart C, Chaisson R, Cooper E, Crumpacker C, et al. Preface to the 1997 USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with Human Immunodeficiency Virus. *Clin Infect Dis* 1997;25:S299-&.

Masur H, Kaplan JE, Holmes KK, Armstrong D, Baker AC, Barr D, Benson C, Brosgart C, Chaisson R, Cooper E, et al. 1997 USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus: Disease-specific recommendations. *Clin Infect Dis* 1997;25:S313-S335.

Dellinger RP, Opal SM, Rotrosen D, Suffredini AF, Zimmerman JL, Bone RC, Bosken CH, Dellinger P, Goldstein RA, Hurd S, et al. From the bench to the bedside: The future of sepsis research. *Chest* 1997;111(3):744-753.

Mann M, Shelhamer JH, Masur H, Gill VJ, Travis W, Solomon D, Manischewitz J, Stock F, Lane HC, Ognibene FP. Lack of clinical utility of bronchoalveolar lavage cultures for cytomegalovirus in HIV infection. *Am J Respir Crit Care Med* 1997;155(5):1723-8.

Yan L, Wang SB, Rafferty SP, Wesley RA, Danner RL. Endogenously produced nitric oxide increases tumor necrosis factor-alpha production in transfected human U937 cells. *Blood* 1997;90(3):1160-1167.

Wu T, Levine SJ, Cowan M, Logun C, Angus CW, Shelhamer JH. Antisense inhibition of 85-kDa cPLA2 blocks arachidonic acid release from airway epithelial cells. *Am J Physiol* 1997;273(2 Pt 1):L331-8.

Wu T, Angus CW, Yao XL, Logun C, Shelhamer JH. P11, a unique member of the S100 family of calcium-binding proteins, interacts with and inhibits the activity of the 85-kDa cytosolic phospholipase A2. *J Biol Chem* 1997;272(27):17145-53.

Davey RT, Chaitt DG, Piscitelli SC, Wells M, Kovacs JA, Walker RE, Falloon J, Polis MA, Metcalf JA, Masur H, Fyfe G, Lane HC. Subcutaneous administration of interleukin-2 in human immunodeficiency virus type 1-infected persons. *J Infect Dis* 1997;175(4):781-789.

Torres RA, Weinberg W, Stansell J, Leoung G, Kovacs J, Rogers M, Scott J. Atovaquone for salvage treatment and suppression of toxoplasmic encephalitis in patients with AIDS. *Clin Infect Dis* 1997;24:422-9.

Freeman BD, Quezado Z, Zeni F, Natanson C, Danner RL, Banks S, Quezado M, Fitz Y, Bacher J, Eichacker PQ. rG-CSF reduces endotoxemia and improves survival during *E. coli* pneumonia. *J Appl Physiol* 1997;83(5):1467-75.

USPHS/IPHS/IDSA. Prevention of Opportunistic Infections Working Group. USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus. *MMWR* 1997;46(RR-12):1-48.

USPHS/IPHS/IDSA. Prevention of Opportunistic Infections Working Group. Preface to the 1997 USPHS/IPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus. *Clin Infect Dis* 25 (Suppl 3):S299-S312, 1997.

Eichacker PQ, Natanson C. The anti-inflammatory approach to septic shock. *Intensiveimedizin und Notfallmedizin*. 1997; 34: 101-109.

1998

Slonim AD, Ognibene FP. Sedation for pediatric procedures, using ketamine and midazolam, in a primarily adult intensive care unit: a retrospective evaluation. *Crit Care Med* 1998;26(11):1900-4.

Russian DA, Kovacs JA. *Pneumocystis carinii*: a fungus resistant to antifungal therapies - mechanisms of action of antipneumocystis drugs. *Drug Resistance Updates* 1998;1(1):16-20.

Bornstein SR, Preas HL, Chrousos GP, Suffredini AF. Circulating leptin levels during acute experimental endotoxemia and antiinflammatory therapy in humans. *J Infect Dis* 1998;178(3):887-90.

Quezado ZMN, Natanson C, Karzai W, Danner RL, Koev CA, Fitz Y, Dolan DP, Richmond S, Banks SM, Wilson L and Eichacker PQ. Cardiopulmonary effects of inhaled nitric oxide in normal dogs and during E-coli pneumonia and sepsis. *J Appl Physiol* 1998;84(1):107-115.

Quezado ZM, Karzai W, Danner RL, Freeman BD, Yan L, Eichacker PQ, Banks SM, Cobb JP, Cunnion RE, Quezado MJ, Sevransky JE, Natanson C Effects of L-NMMA and fluid loading on TNF-induced cardiovascular dysfunction in dogs. Am J Respir Crit Care Med 1998;157(5 Pt 1):1397-405.

Premkumar A, Walworth CM, Vogel S, Daryanani KD, Venzon DJ, Kovacs JA, Feuerstein IM. Prospective sonographic evaluation of interleukin-2-induced changes in the gallbladder. Radiology 1998;206(2):393-396.

Piscitelli SC, Forrest A, Vogel S, Chaitt D, Metcalf J, Stevens R, Baseler M, Davey RT, Kovacs JA. Pharmacokinetic modeling of recombinant interleukin-2 in patients with human immunodeficiency virus infection. Clinical Pharmacology & Therapeutics 1998;64(5):492-498.

Corriveau CC, Madara PJ, Van Dervort AL, Tropea MM, Wesley RA, Danner RL. Effects of nitric oxide on chemotaxis and endotoxin-induced interleukin-8 production in human neutrophils. J Infect Dis 1998;177(1):116-26.

O'Grady NP, Barie PS, Bartlett JG, Bleck T, Garvey G, Jacobi J, Linden P, Maki DG, Nam M, Pasculle W, Pasquale MD, Tribelt DL, Masur H. Practice guidelines for evaluating new fever in critically ill adult patients. Task Force of the Society of Critical Care Medicine and the Infectious Diseases Society of America. Clin Infect Dis 1998;26(5):1042-59.

O'Grady NP, Barie PS, Bartlett JG, Bleck T, Garvey G, Jacobi J, Linden P, Maki DG, Nam M, Pasculle W, Pasquale MD, Tribett DL, Masur H. Practice parameters for evaluating new fever in critically ill adult patients. Task Force of the American College of Critical Care Medicine of the Society of Critical Care Medicine in collaboration with the Infectious Disease Society of America. Crit Care Med 1998;26(2):392-408.

Natanson C, Esposito CJ, Banks SM. The sirens' songs of confirmatory sepsis trials: selection bias and sampling error. Crit Care Med 1998;26(12):1927-31.

Mei Q, Gurunathan S, Masur H, Kovacs JA. Failure of co-trimoxazole in *Pneumocystis carinii* infection and mutations in dihydropteroate synthase gene. Lancet 1998;351(9116):1631-1632.

Medin DL, Brown DT, Wesley R, Cunnion RE, Ognibene FP. Validation of continuous thermodilution cardiac output in critically ill patients with analysis of systematic errors. J Crit Care 1998;13(4):184-9.

DeLa Cadena RA, Majluf-Cruz A, Stadnicki A, Tropea M, Reda D, Agosti JM, Colman RW, Suffredini AF. Recombinant tumor necrosis factor receptor p75 fusion protein (TNFR:Fc) alters endotoxin-induced activation of the kinin, fibrinolytic, and coagulation systems in normal humans. *Thromb Haemost* 1998;80(1):114-8.

Decker CF, Masur H. Pneumonia in AIDS patients in the critical care unit. *Critical Care Clinics* 1998;14(1):135-+.

Yao XL, Levine SJ, Cowan MJ, Logun C, Shelhamer JH. Tumor necrosis factor-alpha stimulates human Clara cell secretory protein production by human airway epithelial cells. *Am J Respir Cell Mol Biol* 1998;19(4):629-35.

Anderson J, Armstead R, Baker AC, Barr D, Bozzette S, Cox S, Delaney M, Gordin F, Greaves W, Harrington M, Masur H, et al. Guidelines for the use of antiretroviral agents in HIV- infected adults and adolescents. *Ann Intern Med* 1998;128(12):1079-1100.

Yao XL, Ikezono T, Cowan M, Logun C, Angus CW, Shelhamer JH. Interferon-gamma stimulates human Clara cell secretory protein production by human airway epithelial cells. *Am J Physiol* 1998;274(5 Pt 1):L864-9.

Carpenter C, Feinberg M, Aubry W, Averitt D, Coffin J, Cooper D, Follansbee S, Hamburg P, Harrington M, Hidalgo J, Masur H, et al. Report of the NIH panel to define principles of therapy of HIV infection. *Ann Intern Med* 1998;128(12):1057-1078.
Iker RE, Carter CS, Muul L, Natarajan V, Herpin BR, Leitman SF, Klein HG, Mullen CA, Metcalf JA, Baseler M, Falloon J, Davey RT, Kovacs JA, Polis MA, Masur H, Blaese RM, Lane HC. Peripheral expansion of pre-existing mature T cells is an important means of CD4(+) T-cell regeneration HIV-infected adults. *Nat Med* 1998;4(7):852-856.

Van Dervort AL, Lam C, Culpepper S, Tuschil AF, Wesley RA, Danner RL. Interleukin-8 priming of human neutrophils is not associated with persistently altered calcium fluxes but is additive with lipopolysaccharide. *J Leukoc Biol* 1998;64(4):511-518.

Freeman BD, Zeni F, Banks SM, Eichacker PQ, Bacher JD, Garvey EP, Tuttle JV, Jurgensen CH, Natanson C, Danner RL. Response of the septic vasculature to prolonged vasopressor therapy with N(omega)-monomethyl-L-arginine and epinephrine in canines. *Crit Care Med* 1998;26(5):877-86.

Summers RM, Shaw DJ, Shelhamer JH. CT virtual bronchoscopy of simulated endobronchial lesions: effect of scanning, reconstruction, and display settings and potential pitfalls. *AJR Am J Roentgenol* 1998;170(4):947-50.

Ludlam SE, Zeidman D, Wood L, Ognibene FP. Intractable wheezing due to an obstructing tracheal neuroendocrine tumor in an adolescent with HIV infection. *Respiratory Care* 1998;43(7):562-566.

Summers RM, Selbie WS, Malley JD, Pusanik LM, Dwyer AJ, Courcoutsakis NA, Shaw DJ, Kleiner DE, Sneller MC, Langford CA, Holland SM, Shelhamer JH. Polypoid lesions of airways: early experience with computer-assisted detection by using virtual bronchoscopy and surface curvature. *Radiology* 1998;208(2):331-7.

Suffredini AF. Myocardial dysfunction in sepsis: clinical and experimental investigations. *Schweiz Med Wochenschr* 1998;128(39):1444-52.

Mei Q, Turner RE, Sorial V, Klivington D, Angus CW, Kovacs JA. Charactierization of human *Pneumocystis carinii* major surface glycoprotein genes and high level expression of a conserved region. *Infect and Immun* 1998;42:68-4273.

Masur et al. Guidelines for the Use of Antiretroviral Agents in HIV-Infected Adults and Adolescents. *MMWR* 1998;47(RR-5):42-82.

1999

Quezado ZMN, Hoffman WD, Banks SM, Danner RL, Eichacker PQ, Susla GM, Natanson C. Increasing doses of pentoxifylline as a continuous infusion in canine septic shock. *J Pharmacol Exp Ther* 1999;288(1):107-113.

O'Grady NP, Tropea M, Preas IH, Reda D, Vandivier RW, Banks SM, Suffredini AF. Detection of macrophage inflammatory protein (MIP)-1alpha and MIP-1beta during experimental endotoxemia and human sepsis. *J Infect Dis* 1999;179(1):136-41.

Huang SN, Angus CW, Turner RE, Sorial V, Kovacs JA. Identification and characterization of novel variant major surface glycoprotein gene families in rat *Pneumocystis carinii*. *J Infect Dis* 1999;179(1):192-200.

Silva N, O'Bryan L, Medeiros E, Holan H, Suleiman J, de Mondonca JS, Patronas N, Reed SG, Klein HG, Masur H, Badaro R. Trypanosoma cruzi meningoencephalitis in HIV-infected patients. *J Acq Immun Def Synd* 1999;20(4):342-349.

Tavel JA, Miller KD, Masur H. Guide to major clinical trials of antiretroviral therapy in human immunodeficieny virus-infected patients: Protease inhibitors, non-nucleoside reverse transcriptase inhibitors, and nucleotide reverse transcriptase inhibitors. *Clin Infect Dis* 1999; 28(3):643-676.

Piscitelli SC, Kelly G, Walker RE, Kovacs J, Falloon J, Davey RT, Raje S, Masur H, Polis MA. A multiple drug interaction study of stavudine with agents for opportunistic infections in human immunodeficiency virus-infected patients. *Antimicrob Agents Ch* 1999;43(3):647-650.

Natarajan V, Bosche M, Metcalf JA, et al. HIV-1 replication in patients with undetectable plasma virus receiving HAART. Lancet 1999;353:(9147)119-120.

Pugin J, Widmer MC, Kossodo S, Liang CM, Preas HL, Suffredini AF. Human neutrophils secrete gelatinase B *in vitro* and *in vivo* in response to endotoxin and proinflammatory mediators. Am J Resp Cell Mol 1999;20(3):458-464.

Davey RT, Chaitt DG, Albert JM, Piscitelli SC, Kovacs JA, Walerk RE, Falloon J, Polis MA, Metcalf JA, Masur H, Dewar R, Baseler M, Fyfe G, Giedlin MA, Lane HC. A randomized trial of high versus low dose subcutaneous interleukin 2 outpatient therapy in early HIV-1 infection. J Infect Dis 1999;179:849-58.

Gladwin MT, Schechter AN, Shelhamer JH, Ognibene FP. The acute chest syndrome in sickle cell disease: role of nitric oxide in its pathophysiology and treatment. Am J Respir Crit Care Med 1999;159:1368-1376.

Suffredini AF, Hochstein HD, McMahon FG. Dose-related inflammatory effects of intravenous endotoxin in humans: evaluation of a new clinical lot of *E. coli*. J Infect Dis 1999;179:1278-1282.

Karzai W, von Specht BU, Parent C, Haberstroh J, Wollersen K, Natanson C, Banks SM, Eichacker PQ. G-CSF during *Escherichia coli* versus *Staphylococcus aureus* pneumonia in rats has fundamentally different and opposite effects. Am J Resp Crit Care 1999;159:1377-1382.

Yoshimura K, Kato R, Yusa K, Kavlick MF, Maroun V, Nguyen A, Mimoto T, Euno T, Shintani M, Falloon J, Masur H, Hayashi H, Erickson J, Mitsuya H. JE-2147: A novel dipeptide protease inhibitor (PI) that potently inhibits multi-PI resistant HIV-1. P Natl Acad Sci USA 1999;96(15):8675-8680.

Dichter JR, Lundgren JD, Nielsen TL, Jenson BN, Schattenkerk J, Benfield TL, Lawrence M, Shelhamer J. *Pneumocystis carinii* pneumonia in HIV-infected patients: effect of steroid therapy on surfactant level. Resp Med 1999;93(6):373-378.

Zeni F, Parent C, Correa R, Natanson C, Freeman B, Fontana J, Quezado M, Danner RL, Ritz Y, Richmond S, Gerstenberger E, Banks SM, Eichacker PQ. Pulmonary ICAM-1 and neutrophil CD11b inhibition both worsen lung injury and outcome in gram-negative pneumonia in the rat. J Appl Physiol 1999;87(1):299-307.

Parent C, Eichacker PQ. Neutrophil and endothelial cell interactions in sepsis - The role of adhesion molecules. Infect Dis Clin N Am 1999;13(1):107-113.

Vandivier RW, Eidsath A, Banks SM, Preas HL, Leighton SB, Godin PJ, Suffredini AF, Danner RL. Down-regulation of nitric oxide production by ibuprofen in human volunteers. *J Pharmacol Exp Ther* 1999;289(3):1398-1403.

Russian DA, Andrawis-Sorial V, Goheen MP, Edman JC, Vogel P, Turner RE, Klivington DL, Angus CW, Kovacs JA. Characterization of a multicopy family of genes encoding a surface-expressed serine endoprotease in rat. *Proc Assoc Am Physician* 1999; 111(4):347-356.

Yao XL, Cowan MJ, Gladwin MT, Lawrence MM, Angus CW, Shelhamer JH. Dexamethasone alters arachidonate release from human epithelial cells by induction of p11 protein synthesis and inhibition of phospholipase A₂ activity. *J Biol Chem* 1999; 274(24):17202-17208.

Gladwin MT, Plorde JJ, Martin TR. Clinical application of the mycobacterium tuberculosis direct test - case report, literature review, and proposed clinical algorithm. *Chest* 1999;114(1):317-323.

Gladwin MT. The acute chest syndrome of sickle cell anemia. *Critical Care Alert* 1999;6(10):76-80.

Falloon J, Sargent S, Piscitelli SC, Bechtel C, LaFon SW, Sadler B, Walker RE, Kovacs JA, Polis MA, Davey RT, Lane HC, Masur H. Atovaquone suspension in HIV-infected volunteers: Pharmacokinetics, Pharmacodynamics, and TMP-SMX interaction study. *Pharmacotherapy* 1999;19:1050-1056.

Chun TW, Engel D, Mizell SB, Hallahan CW, Fischette M, Park S, Davey RT, Dybul M, Kovacs JA, Metcalf JA, Mican JM, Berrey MM, Corey L, Lane HC, Fauci AS. Effect of interleukin-2 on the pool of latently infected, resting CD4+ T cells in HIV-1 infected patients receiving highly active anti-retroviral therapy. *Nat Med* 1999;5:651-655.

Lundgren J, Masur H. New approaches to managing opportunistic infections. *AIDS* 1999;13:S227-S234.

Suffredini AF, Fantuzzi G, Badolato R, Oppenheim JJ, O'Grady NP. New insights into the biology of the acute phase response. *J Clin Immunol* 1999;19:203-214.

Benfield TL, Lundgren B, Shelhamer JH, Lundgren JD. *Pneumocystis carinii* major surface glycoprotein induces interleukin-8 and monocyte chemoattractant protein-I release from a human alveolar epithelial cell line. *Eur J Clin Invest* 1999;29:717-722.

Gladwin MT, Slonim A, Landucci D, Gutierrez DC, Cunnion RE. Cannulation of the internal jugular vein: Is post-procedural chest radiography always necessary? *Crit Care Med* 1999;27:1819-1823.

Huang SN, Fischer SH, O'Shaughnessy E, Gill VE, Masur H, Kovacs JA. Development of a PCR assay for diagnosis of *Pneumocystis carinii* pneumonia based on amplification of the multicopy major surface glycoprotein gene family. *Diagn Microbiol Infect Dis* 1999;35:27-32.

Yanovski JA, Miller KD, Kino T, Friedman TC, Chrouzos GP, Tsigos C, Falloon J. Endocrine and metabolic evaluation of HIV-infected patients with evidence of protease inhibitor associated lipodystrophy. *J Clin Endocrinology Metab* 1999;84:1925-1931.

Gladwin MT, Schechter AN, Shelhamer JH, Pannell LK, Conway DA, Hrinczenko BW, Nichols JS, Pease-Fye ME, Noguchi CT, Rogers GP, Ognibene FP. Inhaled nitric oxide augments nitric oxide transport on sickle cell hemoglobin without affecting oxygen affinity. *J Clin Invest* 1999;104:937-945.

Ma L, Borio L, Masur H, Kovacs JA. *Pneumocystis carinii* dihydropteroate synthase but not dihydrofolate reductase gene mutations correlate with prior trimethoprim sulfamethoxazole or dapsone use. *J Infect Dis* 1999;180:1969-1978.

Orenstein JM, Feinberg M, Yoder C, Schrager L, Mican JM, Schwartzengruber DJ, Davey RT, Walker RE, Falloon J, Kovacs JA, Miller KD, Fox C, Metcalf JA, Masur H, Polis MA. Lymph node architecture preceding and following 6 months of potent antiviral therapy: follicular hyperplasia persists in parallel with p24 antigen restoration after involutional CD4 cell depletion in an AIDS patient. *AIDS* 1999;13:2219-2229.

Whitcup SM, Rortin E, Lindblad AS, Griffiths P, Metcalf JA, Robinson MR, Manischewitz J, Baird B, Perry C, Kidd IM, Vrabec T, Davey RT, Falloon J, Walker RE, Kovacs JA, Lane HC, Nussenblatt RB, Smith J, Masur H, Polis MA. Discontinuation of anticytomegalovirus therapy in patients with HIV infection and cytomegalovirus retinitis. *JAMA* 1999;282:1633-1637.

Falloon J, Sargent S, Piscitelli SC, Bechtel C, LaFon SW, Sadler B, Walker RE, Kovacs JA, Polis MA, Davey RT, Lane HC, Masur H. Atovaquone suspension in HIV-infected volunteers: Pharmacokinetics, pharmacodynamics, and TMP-SMX interaction study. *Pharmacotherapy* 1999;19:1050-1056.

Masur H et al. 1999 USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus. *Ann Intern Med* 1999;131:873-908.

Raptis A, Mavroudis D, Suffredini AF, Molldrem J, Van Rhee F, Childs R, Phang S, Barrett AJ. High-dose corticosteroid therapy for diffuse alveolar hemorrhage in allogeneic bone marrow stem cell transplant recipients. *Bone Marrow Transplant* 1999;24:879-883.

Wang SB, Wang WH, Wesley RA, Danner RL. A Sp1 binding site of the timeor necrosis factor alpha promoter functions as a nitric oxide response element. J Biol Chem 1999;274:33190-33193.

Slonim AD, Ognibene FP. Amnestic agents in pediatric bronchoscopy. Chest 1999;116:1802-1808.

Masur H et al. USPHS/IDSA Guidelines for the Prevention of Opportunistic Infections in Persons Infected with Human Immunodeficiency Virus. MMWR 1999;48(RR-10):1-59.

Davey RT, Bahat N, Yoder C, Chun T-W, Metcalf JA, Dewar R, Naatarajan V, Lempicki RA, Adelsberiger JW, Miller KD, Kovacs JA, Molis MA, Walker RE. HIV-1 and T-cell dynamics after interruption of highly active antiretroviral therapy (AHHART) in patients with a history of sustained viral suppression. PNAS 1999;96:15109-15114.

2000

Angus CW, Klivington-Evans D, Dubey JP, Kovacs JA. Immunization with a DNA plasmid encoding the SAG1 (P30) protient of *Toxoplasma gondii* is immunogenic and protective in rodents. J Infect Dis 2000;181:317-324.

Weissman D, Dybul M, Davey RT, Walker RE, Kovacs JA. Interleukin-2 upregulates expression of the human immunodeficiency virus fusion coreceptor CCR5 by CD4+ lymphocytes in vivo. J Infect Dis 2000;181:933-8.

Masur H, Holmes KK, Kaplan JE. Introduction to the 1999 USPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus. Clin Infect Dis 2000; 30:S1-S4, Suppl 1.

Kaplan JE, Masur H, Holmes KK, Freedberg KA, Holtgrave D, Piscitelli SC, Van Dyke R, Watts H. An overview of the 1999 US Public Health Service/Infectious Diseases Society of America guidelines for preventing opportunistic infections in human immunodeficiency virus-infected persons. Clin Infect Dis 2000; 30:S15-S28, Suppl 1.

Masur H, et al. 1999 KUSPHS/IDSA guidelines for the prevention of opportunistic infections in persons infected with human immunodeficiency virus. Clin Infect Dis 2000; 30:S29-S65, Suppl 1.

Bernard GR, Sopko G, Cerra F, Demling R, Edmunds H, Kaplan S, Kessler L, Masur H, Parsons P, Shure D, Webb C, Weidemann H, Weinmann G, Williams D. Pulmonary artery catheterization and clinical outcomes - National Heart, Lung and Blood Institute and Food and Drug Administration workshop report. JAMA 2000; 283:2568-2572.

Kovacs JA, Masur H. Drug therapy: Prophylaxis against opportunistic infections in patients with human immunodeficiency virus infection. *New Engl J Med* 2000; 342: 1416-1429.

Falloon J, Piscitelli S, Vogel S, Sadler B, Mitsuya H, Kavlick MF, Yoshimura K, Rogers M, LaFon S, Manion DJ, Lane HC, Masur H. Combination therapy with amprenavir, abacavir, and efavirenz in human immunodeficiency virus (HIV-infected patients failing a protease-inhibitor regimen: Pharmacokinetic drug interactions and antiretroviral activity. *Clin Infect Dis* 2000; 30:313-318.

Bornstein SR, Wolkersdorfer GW, Tauchnitz R, Preas HL, Chrousos GP, Suffredini AF. Plasma dehydroepiandrosterone levels during experimental endotoxemia and anti-inflammatory therapy in humans. *Crit Care Med* 2000;28:2103-2106.

Emery S, Capra WB, Cooper DA, Mitsuyasu RT, Kovacs JA, Vig P, Smolskis M, Saravolatz LD, Lane HC, Fyfe GA, Curtin PT. Pooled analysis of 3 randomized controlled trials of interleukin-2 therapy in adult human immunodeficiency virus type 1 disease. *J Infect Dis* 2000;182:428-434.

Freeman BD, Natanson C. Anti-inflammatory therapies in sepsis and septic shock. *Expert Opin Investig Drugs* 2000;9:1651-1663.

Jordan MK, Polis MA, Kelly G, Narang PK, Masur H, Piscitelli SC. Effects of fluconazole and clarithromycin on rifabutin and 25-O-desacylrifabutin pharmacokinetics. *Antimicrob Agents Chemother* 2000;44:2170-2172.

Orenstein JM, Bhat N, Yoder C, Fox C, Polis MA, Metcalf JA, Kovacs JA, Falloon J, Walker RE, Masur H, Lane HC, Davey RT. Rapid activation of lymph nodes and mononuclear cell HIV expression upon interrupting highly active antiretroviral therapy in patients after prolonged viral suppression. *AIDS* 2000;14:1709-1715.

Walker RE, Bechtel CM, Natarajan V, Baseler M, Hege KM, Metcalf JA, Stevens R, Hazen A, Blaese RM, Chen CC, Leitman SF, Palensky J, Witten J, Davey RT, Falloon J, Polis MA, Kovacs JA, Broad DF, Levine BL, Roberts MR, Masur H, Lane HC. Long-term in vivo survival of receptor-modified syngeneic T cells in patients with human immunodeficiency virus infection. *Blood* 2000;96:467-474.

Wang WH, Wang SB, Yan L, Madara P, Cintron AD, Wesley RA, Danner RL. Superoxide production and reactive oxygen species signaling by endothelial nitric-oxide synthase. *J Biol Chem* 2000;275:16899-16903.

Gladwin MT, Ognibene FP, Pannell LK, Nichols JS, Pease-Fye ME, Shelhamer JH, Schechter AN. Relative role of heme nitrosylation and beta-cysteine 93 nitrosation in the transport and metabolism of nitric oxide by hemoglobin in the human circulation. *Proc Natl Acad Sci U S A* 2000;97:9943-9948.

Masur H, Shelhamer JH. Pneumocystis Pneumonia: Miles to Go. *Chest*. 2000;118:575-7.

In Press

Roca-Ferrer J, Mullo J, Perez M, Xaubet A, Molins L, de Haro J, Shelhamer J, Picado C. Effects of topical glucocorticoids on in vitro lactoferrin gland secretion: Comparison between human upper and lower airways. *J Allergy Clin Immunol*. (In press).

Tavakoli S, Cowan MJ, Benfield T, Logun C, Shelhamer JH. Prostaglandin E₂ -Induced interleukin-6 release by a human airway epithelial cell line. *Am J Physiol*. (In press).

Gladwin MT, Shelhamer JH, Schechter AN, Pease-Fye ME, Waclawiw MA, Panza JA, Ognibene FP, Cannon R. Role of circulating nitrite and S-nitrosohemoglobin in regulating regional vascular blood flow in man. *Proc Natl Acad Sci*. (In press).

Cowan M, Gladwin M, Shelhamer J. Disorders of Ciliary Motility. *Am J Med Sci* (In press).

Gladwin MT, Ognibene, FP, Pannell LK, Nichols JS, Pease-Fye ME, Shelhamer JH, Schechter AN. Relative role of heme nitrosylationand -cysteine 93 nitrosation in the transport and metabolism of nitric oxide by hemoglobin in the human circulation. *Proceedings of the National Academy of Sciences*. (In press).

Gladwin MT, Yao XL, Cowan MJ, Huang X, Schneider R, Grant LR, Logun C, Shelhamer JH. Retinoic acid reduces p11 protein levels in human bronchial epithelial cells by a post-translational mechanism, resulting in increased phospholipase A₂ activity and arachidonate release. *Am J Physiol*. 2000; (In press).

Submitted

Sevransky J, Vandivier RW, Correa R, Ferantz V, Banks SM, Danner RL, Eichacker PQ, Natanson C. Nitric oxide independend and dependent cardiac dysfunction after TNF challenges in dogs. (Submitted).

Freeman BD, Danner RL, Banks S, Natanson C. Preventing unnecessary deaths in critical illness. (Submitted).

Wang W, Wang S, Nishanian EV, Cintron ADP, Wesley RA, Danner RL. Signaling by endothelial nitric oxide synthase through a superoxide-dependent p42/44 mitogen-activated protein kinase pathway. (Submitted).

Gladwin MT, Shelhamer JH, Ognibene FP, Pease-Fye ME, Nichols JS, Link B, Patal DB, Jankowski MA, Pannell LK, Schechter AN, Rodgers GP. Nitric oxide donor properties of hydroxyurea in patients with sickle cell disease. (Submitted).

Gladwin MT, Ognibene FP, Shelhamer JH, Pease-Fye ME, Noguchi CT, Rodgers GP, Schechter AN. Nitric oxide transport on sickle cell hemoglobin. Where does it bind? (Submitted).

Kovacs JA, Vogel S, Metcalf JA, Baseler M, Stevens R, Adelsberger J, Lambert L, Dewar RL, Davey RT, Walker RE, Falloon J, Polis MA, Masur H, Lane HC. Mechanisms of interleukin-2 induced CD4 expansion in HIV-infected patients receiving intermittent interleukin-2 immunotherapy. (Submitted).

Weissman D, Dybul M, Davey RT, Walker RE, Kovacs JA. IL-2 regulation of the HIV fusion coreceptor CCR5 *in vivo*. (Submitted).

Lempicki RA, Kovacs JA, Baseler MW, Adelsberger JW, Metcalf JA, Dimitrov DS, Stevens RA, Lambert LA, Polis MA, Alvord WG, Lane HC. Impact of therapy on the kinetics of CD4+ and CD8+ T cell turnover in HIV-infected patients receiving highly active antiretroviral therapy or interleukin-2. (Submitted).

Gustavsen KA, Ognibene FP, Reda D, Gill VJ, Lipschik GY. Polymerase chain reaction for *Pneumocystis carinii* in patients with Wegener's granulomatosis. (Submitted).

Levine S, Larivee P, Logun C, Angus CW, Shelhamer J. Interleukin 1b induces mucin hypersecretion and mucin gene expression by human airway epithelial cells. (Submitted).

Quezado ZMN, Depietro M, Natanson C, Danner RL, Karzai W, Cui X, Banks SM, Eichacker PQ. Controlled trial of therapeutic G-CSF in canine bacterial peritonitis. (Submitted).

Gladwin MT, Shelhamer JH, Schechter AN, Pease-Fye ME, Waclawiw MA, Panza JA, Ognibene FP, and Cannon R. Role of circulating nitrite and S-nitrosohemoglobin in regulating regional vascular blood flow in man. (Submitted).

Eichacker PQ, Parent C, Esposito C, Kalil A, Natanson C. Severity of infectious challenge alters the effects of anti-inflammatory agents in sepsis. (Submitted).

Martich GD, Van Dervort AL, Supinski EP, Danner RL, Suffredini AF. Intravenous endotoxin administration to normal humans primes neutrophils for an enhanced respiratory burst. (In preparation).

Preas H, Godin P, Vandivier RW, Reda D, Jubran A, Tobin M, Suffredini AF. The effects of cyclooxygenase inhibition on ventilation in normal and endotoxemic human volunteers. (In preparation).

Brooks MR, Nam M, Reda D, Banks SM, Boujoukos A, Agosti J, Suffredini AF. Pharmacokinetics and *in vivo* antiinflammatory effects of recombinant tumor necrosis factor receptor p75 fusion protein (TNFR:Fc) in healthy humans. (In preparation).

Gladwin MT, Bonaventura C, Ognibene FP, Pease-Fye Me, Schechter AN, Shelhamer J. A new sensitive and specific method for the measurement of S-nitrosohemoglobin and nitrosyl-hemoglobin. (In preparation).